



Green Approved Product

For

National Green Building Certification

This is to signify that the following products for residential construction

Superior Walls Insulated Precast Concrete Walls

Manufactured by

Superior Walls of America, Ltd. Licensees

Have been approved for points toward National Green Building Certification to the ICC 700-2008 National Green Building Standard as shown on page 2 of this certificate.

The NAHB Research Center hereby authorizes accredited verifiers to award these points toward certification when the products are used in accordance with the conditions shown on page 2 and the manufacturer's installation instructions.

This information has been verified by independent third-party testing or evaluation.

Certificate #00071



Signed:

Robert L. Hill, Director
Laboratory Sciences and Certification Programs

Issuance Date: September 3, 2009

Expiration Date: September 30, 2012

NAHB Research Center • 400 Prince George's Boulevard • Upper Marlboro, MD 20774 • www.nahbrc.com

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



Green Approved Products Certificate #00071

Products: Superior Walls Insulated Precast Concrete Walls

Manufacturer: Superior Walls of America, Ltd. Licensees



The use of these products is approved to receive points to certification under the National Green Building Standard practices as noted below:

PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
601.2	Structural systems/advanced framing techniques optimize material usage.	3	To be awarded points, wall system is used for at least 85% of foundation walls or above grade exterior walls.
601.5(1-3)	Precut/preassembled components, panelized, or precast assemblies are utilized for a minimum of 90% of floor, wall, and/or roof system. If points claimed for these systems, points cannot be claimed for Modular or Manufactured home construction.	4	To be awarded points, this product must be utilized for 90% or more of the wall system.
607.1	Products containing fewer materials are used to achieve the same end-use requirements as conventional products.	3	To be awarded points, wall system is used for at least 85% of foundation walls or above grade exterior walls.
701.4.3.1(1)	Insulation is installed in accordance with the manufacturer's instructions or local code. Mandatory for certification.	Mandatory	Must be installed in accordance with local code(s) and the manufacturer's instructions. Other insulation in the building must also meet this practice.
903.2.2	Capillary break is added on footing.	3	Walls must be set on a minimum 4 inch thick gravel bed with appropriate foundation drainage.

Signed: Robert L. Hill
 Robert L. Hill, Director
 Laboratory Sciences and Certification Programs

Issuance Date: September 3, 2009

Expiration Date: September 30, 2012

NAHB Research Center • 400 Prince George's Boulevard • Upper Marlboro, MD 20774 • www.nahbrc.com

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.